|    | Туре | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 1  | BRS  | 151  | pipeline with table with (second multiple plural\$3 several few two more)   | USPAT  |
| 2  | BRS  | 77   | pipeline with table with (second multiple plural\$3 several few two more) with (instruction code operation)   | USPAT  |
| 3  | BRS  | 1    | pipeline with table with (dual) with (instruction code operation)   | USPAT  |
| 4  | BRS  | 58   | pipeline with table with (second)   | USPAT  |
| 5  | BRS  | 6    | (pipeline near2 second) with table  | US-<br>PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 6  | BRS  | 16   | (pipeline near2 second) with table  | USPAT  |
| 7  | BRS  | 1    | (floating-point with co-processor) same (schedul\$4 table)  | USPAT  |
| 8  | BRS  | 7    | <pre>((floatingpoint (floating adj point) floating-point) with co-processor) same (schedul\$4 table)</pre>  | USPAT  |
| 9  | BRS  | 187  | (optimiz\$8 hint) with pipeline with (code instruction program)   | USPAT  |
| 10 | BRS  | 22   | (essential non-essential) with pipeline with (code instruction program)   | USPAT  |
| 11 | BRS  | 18   | ((floatingpoint (floating adj point) floating-point) with co-processor) same detect\$4  | USPAT  |
| 12 | BRS  | 27   | <pre>(((floatingpoint (floating adj point) floating-point) with coprocessor) same detect\$4) not (((floatingpoint (floating adj point) floating-point) with co-processor) same detect\$4)</pre> | USPAT  |
| 13 | BRS  | 27   | ((floatingpoint (floating adj point) floating-point) with coprocessor) same detect\$4   | USPAT  |

|    | Туре | Hits | Search Text   | DBs   |
|----|------|------|---|-------|
| 14 | BRS  | 45   | (((floatingpoint (floating adj point) floating-point) with coprocessor) same detect\$4) (((floatingpoint (floating adj point) floating-point) with coprocessor) same detect\$4)   | USPAT |
| 15 | BRS  | 33   | ((((floatingpoint (floating adj point) floating-point) with coprocessor) same detect\$4) (((floatingpoint (floating adj point) floating-point) with coprocessor) same detect\$4)) and option\$4   | USPAT |
| 16 | BRS  | 4    | <pre>((((floatingpoint (floating adj point) floating-point) with coprocessor) same detect\$4) (((floatingpoint (floating adj point) floating-point) with co- processor) same detect\$4)) and (option\$4 with (coprocessor co- processor))</pre> | USPAT |
| 17 | BRS  | 7    | floating-point with mapping with table  | USPAT |
| 18 | BRS  | 158  | (optimiz\$8 hint) with pipeline with instruction  | USPAT |
| 19 | BRS  | 296  | (optimiz\$8 hint) adj1 instruction  | USPAT |
| 20 | BRS  | 8    | ((optimiz\$8 hint) adj1 instruction) with pipeline  | USPAT |
| 21 | BRS  | 431  | dual with pipeline  | USPAT |
| 22 | BRS  | 339  | ((floatingpoint (floating adj point) floating-point) with pipeline) and (integer with pipeline)   | USPAT |
| 23 | BRS  | 33   | ((floatingpoint (floating adj point) floating-point) with pipeline) and (integer with pipeline) and (mapping with table)  | USPAT |
| 24 | BRS  | 43   | (dual with pipeline) and ((optimiz\$6 hint) with instruction)   | USPAT |
| 25 | BRS  | 0    | (dual with pipeline) and (provide with hint with instruction)   | USPAT |
| 26 | BRS  | 81   | ("pipelines") and (hint with instruction)   | USPAT |
| 27 | BRS  | 25   | <pre>(pipeline near4 (plural\$4 multiple)) and (hint with instruction)</pre>  | USPAT |

|    | Туре | Hits | Search Text   | DBs  |
|----|------|------|---|--|
| 28 | BRS  | 10   | (dual with pipeline) and (hint with instruction)                            | USPAT  |
| 29 | BRS  | 2785 | (optim\$6 hint) with instruction  | US-<br>PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 30 | BRS  | 0    | ((optim\$6 hint) with instruction) same (non-essential)                     | USPAT  |
| 31 | BRS  | 0    | ((optim\$6 hint) with instruction) same (nonessential)                      | USPAT  |
| 32 | BRS  | 298  | ((optim\$6 hint) with instruction) same (non-essential necessary essential) | USPAT  |
| 33 | BRS  | 0    | hint with calculus with (instruction code)                                  | USPAT  |
| 34 | BRS  | 1964 | prefetch with (instruction code)  | USPAT  |
| 35 | BRS  | 92   | prefetch with (instruction code) with software                              | USPAT  |
| 36 | BRS  | 38   | hint adj1 (instruction code)  | USPAT  |
| 37 | BRS  | 1    | "5794068".pn.   | USPAT  |
| 38 | BRS  | 1    | "6233389".pn.   | USPAT  |
| 39 | BRS  | 20   | ((realtime real-time) with thread) same scheduler                           | USPAT  |
| 40 | BRS  | 1    | "6745222".pn.   | USPAT  |
| 41 | BRS  | 306  | 712/1.ccls.   | USPAT  |
| 42 | BRS  | 21   | ((realtime real-time) with thread) same scheduler                           | USPAT;<br>EPO;<br>JPO                                |
| 43 | BRS  | 362  | ((optim\$6 hint) with instruction) same (non-essential necessary essential) | USPAT;<br>EPO;<br>JPO                                |
| 44 | BRS  | 125  | prefetch with (instruction code) with software                              | USPAT;<br>EPO;<br>JPO                                |

|    | Type | Hits | Search Text  | DBs  |
|----|------|------|--|--|
| 45 | BRS  | 19   | (dual with pipeline) and ((optim\$8<br>hint) with instruction) | US-<br>PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB |
| 46 | BRS  | 10   | ((optimiz\$8 hint) adj1 instruction) with pipeline             | USPAT;<br>EPO;<br>JPO                                |
| 47 | BRS  | 382  | (optimiz\$8 hint) adj1 instruction                             | USPAT;<br>EPO;<br>JPO                                |
| 48 | BRS  | 194  | (optimiz\$8 hint) with pipeline with                           | USPAT;<br>EPO;<br>JPO                                |
| 49 | BRS  | 234  | (code instruction program)                                     | USPAT;<br>EPO;<br>JPO                                |
| 50 | BRS  |      | pipeline with (code instruction                                | USPAT;<br>EPO;<br>JPO                                |
| 51 | BRS  | 1    | "6745222".pn.  | USPAT  |
| 52 | BRS  | 1    | "5794068".pn.  | USPAT  |